SWS Bearings LTD
High Quality Bearing Manufacturer

Excavator Bearing



SWS Bearings LTD

www.sws-bearings.com



SWS Bearings LTD
High Quality Bearing Manufacturer



***SWS Bearings LTD** is one of the most reliable bearings factories and exporters in China.We mainly supply roller and ball bearings.*

SWS was founded in 2001, located in Chang Zhou city,Jiangsu Province.It just takes around 2 hours from Chang Zhou to Shanghai by car, and very convenient transportation. In 2005,SWS has invested three factories in Shandong and Dalian city. Our products sell worldwide.

Our products and service include:

1.Clutch Release Bearings
2.Miniature and middle-large size deep groove ball bearing
3.Double-row self-aligning roller bearing
4.Four-row heavy type cylindrical roller bearing
5.Self-aligning roller bearing
6.Axial thrust ball bearing, thrust ball and roller bearing
7.Single and double taper roller bearing
8.Needle roller bearing
9.High precision spindle bearing
10.Pillow block bearing, bush, steel balls

SWS bearings are widely used in railway,mining,mechanical equipment, automobile,ship, metallurgy, petrifaction, electric power, agriculture, textile and aviation, etc.


SWS Bearings LTD
High Quality Bearing Manufacturer



Equipment



Equipment



Test



Office



Products



Wareshop


SWS Bearings LTD
High Quality Bearing Manufacturer

Excavator Bearing

Excavator specialized angular ball bearing are used for the application of excavator machiner .This kind of angular contact ball bearing has big contact angle(40 degree),so can under take big axial load ,and aslo axial radial allied load .Moreover it can carry heavier load capacity than the same size bearings because it has more balls inside .It is widely used for all imported exavator.

High-accuracy, low-noise, longlife and this kink of bearing are widely used in excavator. Mainly used for KOBELCO excavator, KOMATSU excavator, CATERPILLAR excavator, KATO excavator, HITACHI excavator, DAEWOO excavator, HYUNDAI excavator, Volvo excavator, etc.

Excavator specialized angular ball bearing are used for the application of excavator machinery. This kind of angular contact ball bearing has big contact angle(40 degree), so can under take big axial load, and aslo axial radial allied load. Moreover it can carry heavier load capacity than the same size bearings because it has more balls inside. It is widely used for all imported exavator.



Web:
www.sws-bearings.com
Email:
sales@sws-bearings.com

SWS Bearings LTD
High Quality Bearing Manufacturer

Part NO.	ID(mm)	OD(mm)	H(mm)
184BA-2251	184	226	21
180BA-2256	180	225	22
AC5033	250	330	37
AC5836	289	355	34
AC463240	230	320	40
AC4615	230	300	35
AC4629	230	290	27
AC4531	225	315	36
AC4631	230	310	40
AC423040-1	210	300	40
AC4630	230	300	35
AC6037-1	300	370	34
AC523438-1	260	340	38
BA152-2306	152	230	26
BA222-1WSA	222	273	26
BA220-6SA	220	276	26
BA220-6WSA	220	276	26
BA240-3ASA	240	310	32
BA289-1A	289	255	34
BA260-3A	260	340	38
BA260-4A	260	340	38
BA200-10	200	280	38
BA230-7T12SA	230	300	35
BA4531	225	315	40
BA300-5A	300	380	40
BA180-4WSA	180	250	33
200BA27V-2	200	270	33
210BA29V	210	295	35
230BA27V2	230	300	35
BA280-2SA	280	370	40
BA300-4WSA	300	395	52
BD130-1SA	130	166	34
BA205-1A	205	295	40
BA246-2A	246	313	32
BA250-4A	250	330	37
BA290-3A	290	380	42
120BA16	120	165	22
180BN19	180	250	33
B-SF4454PX1	220	295	33
B-SF4444PX1	220	295	33
SF4815VPX1	240	310	34
SF4831PX1	240	310	33.4
SF4852PX1	240	310	33
SF4826PX1	240	310	33
SF3607PX1	180	225	15
SF2812PX1	140	175	17.5
SF3227PX1	160	200	20
SF3235PX1	160	200	20
SF4007PX1	200	250	25
SF4019PX1	200	260	30
SF4860PX1	240	320	38.6

Part NO.	ID(mm)	OD(mm)	H(mm)
SF6037-1	300	370	34
SF6015PX1	300	372	36
260BA355-2	260	355	44
CR4411PX1	220	290	32
CR6016PX1	300	380	38
LL639249/10	196.85	241.3	23.812
L540049/10	196.85	254	28.575
LM739749	196.85	257.175	39.688
544090/116	228.6	295.275	33.338
544091/118	231.775	300.038	33.338
L540048/10	200	254	28.575
561904P6X	120	170	27
36990/20	177.8	227.012	30.165
4T-T7FC065ST	65	130	37
4T-T7FC055ST	55	115	34
T2ED045-1	45	95	36
R196Z-4	196.85	241.3	23.812
AC563946AB	280	390	46
SF5235	260	330	35
AC4833	210	300	40
HS05154	126	154	14
BN220-1	220	280	28
BD130-16	130	166	40
310BN420	420	310	-
BA345-1	345	470	45
BA195-3A	195	280	36.5
BD155-3A	-	-	-
BD155-4A	250	330	37
BD155-5A	165	210	54
BD155-6A	155	198	47
BA120-7	230	300	35
BA152-2036	203	152	26
BA180-4BWSA	250	180	33
BA180-2256	225	180	21.5
BA205-1	295	205	40
BA120-16	165	120	22
BA230-7A	300	230	32
BA230-7ASA	300	230	35
BA240-3A	310	240	33
BA246	313	246	32
BA289-1	355	289	33
BA300-5	380	300	40
BA230-2A	320	230	40
BA220-5A	278	220	26
BA260-3	340	260	30
BA260-4	340	260	38
BA260-6	340	260	36
BA4852PX1	310	240	33
AC6037	370	300	33
AC483240	320	230	40
105BA14	105	145	15

Http://www.sws-bearings.com
Email:sales@sws-bearings

Web:
www.sws-bearings.com
Email:
sales@sws-bearings.com